



World Best Quality Soft Serve Ice Cream Machines

Soft Serve Ice Cream Machines

Mini Machines
Countertop Machines
Floor Machines
Automatic & Self Service Machines



A Brand that stands for Quality and Value

MINI MACHINE: ISI-161TH / TI

Single Flavor



ISI-161TH (Heat Treatment)
ISI-161TI (w/o Heat Treatment)



LCD DISPLAY PANEL



AGITATOR



AIR DISCHARGE ON TOP

EXTERIOR

DIMENSIONS	MACHINE	SHIPPING
Width	12 "	15 "
Depth	31 "	34 "
Height	30 "	36 "
Weight	196 lbs	238 lbs

SPECIFICATIONS

Type	Countertop
Flavors	Single Flavor
Cooling	Air Cooled
Electrical	115V/60Hz/1Ph
Hopper Capacity	3.2 qt (0.8 gallon)
Cylinder Capacity	1.7 qt (0.4 gallon)
Power Consumption	1.88 HP (1,400 W)
Max. Production	26.5 lbs/h
Consecutive Dispensing	5 cups / 3.5 oz
Compressor - Cylinder	0.85 HP x 1 (R404A)



FEATURES

Slim and compact design



AGITATOR



DIRECT MOTOR DRIVE

Less noise & Less vibration



HEAT TREATMENT

Pasteurization (ISI-161TH)

POWERFUL PRODUCTION CAPACITY MACHINE: ISI-300TA

Single Flavor



ISI-300TA



AGITATOR

EXTERIOR

DIMENSIONS	MACHINE	SHIPPING
Width	18 "	22 "
Depth	33 "	37 "
Height	36 "	42 "
Weight	309 lbs	337 lbs

SPECIFICATIONS

Type	Countertop
Flavors	Single Flavor
Cooling	Air Cooled
Electrical	208~230V/60Hz/1Ph
Hopper Capacity	18.5 qt (4.6 gallon)
Cylinder Capacity	3.4 qt (0.8 gallon)
Power Consumption	2.68 HP (2,000 W)
Max. Production	66.1 lbs/h
Consecutive Dispensing	20~24 cups / 3.5 oz
Compressor - Cylinder	1.77 HP x 1 (R404A)



POWERFUL PRODUCTION CAPACITY



AGITATOR



DIRECT MOTOR DRIVE

Less noise & Less vibration



CAPACITY

Large Mix Hopper & Cylinder

COUNTERTOP & FLOOR MACHINES: ISI-163TT / ST



AGITATOR



DIRECT MOTOR DRIVE

Less noise & Less vibration



LUXURIOUS & SIMPLE DESIGN



Lid Stopper



Two Flavors
& One Twist



ISI-163TT



ISI-163ST

ISI-163TT EXTERIOR

DIMENSIONS	MACHINE	SHIPPING
Width	20 "	26 "
Depth	29 "	35 "
Height	31 "	37 "
Weight	375 lbs	419 lbs

ISI-163ST EXTERIOR

DIMENSIONS	MACHINE	SHIPPING
Width	20 "	26 "
Depth	29 "	35 "
Height	57 "	65 "
Weight	425 lbs	430 lbs

SPECIFICATIONS

Type	ISI-163TT : Countertop ISI-163ST : Floor
Flavors	2 Flavors & 1 Twist
Cooling	Air Cooled
Electrical	208~230V/60Hz/1Ph
Hopper Capacity	5.8 qt (1.5 gallon) x 2
Cylinder Capacity	1.7 qt (0.4 gallon) x 2
Power Consumption	3.62 HP (2,700 W)
Max. Production	52.9 lbs/h
Consecutive Dispensing	7~10 cups / 3.5 oz
Compressor - Cylinder	0.85 HP x 2 (R404A)
Compressor - Hopper	0.35 HP x 1 (R134A)

HIGH QUALITY MACHINE: ISI-203SN / SNP

Two Flavors
& One Twist



ISI-203SN
ISI-203SNP



TWO FLAVORS & ONE TWIST



LUXURIOUS & SIMPLE DESIGN



TOUCH SCREEN BUTTON



ARTIFICIAL INTELLIGENCE CONTROL SYSTEM



AIR PUMP SYSTEM (ISI-203SNP)

Air pump increases over-run which makes soft serve ice cream smoother and softer

EXTERIOR

DIMENSIONS	MACHINE	SHIPPING
Width	21 "	23 "
Depth	33 "	37 "
Height	57 "	67 "
Weight	586 lbs	631 lbs

SPECIFICATIONS

Type	Floor
Flavors	2 Flavors & 1 Twist
Cooling	Air Cooled
Electrical	208~230V/60Hz/3Ph
Hopper Capacity	10.6 qt (2.6 gallon) x 2
Cylinder Capacity	2.9 qt (0.7 gallon) x 2
Power Consumption	6.03 HP (4,500 W)
Max. Production	92.6 lbs/h
Consecutive Dispensing	16~40 cups / 3.5 oz
Compressor - Cylinder	1.3 HP x 2 (R404A)
Compressor - Hopper	0.35 HP x 1 (R134A)



POWERFUL PRODUCTION CAPACITY: ISI-303SNA / SNW / *P



POWERFUL PRODUCTION CAPACITY



LUXURIOUS & SIMPLE DESIGN



CAPACITY

Large Mix Hopper & Cylinder



*P Model has AIR PUMP SYSTEM

Air pump increases over-run which makes soft serve ice cream smoother and softer



Two Flavors
& One Twist



ISI-303SNA / SNAP (Air Cooled)
ISI-303SNW / SNWP (Water Cooled)

EXTERIOR

DIMENSIONS	MACHINE	SHIPPING
Width	26 "	31 "
Depth	35 "	39 "
Height	57 "	66 "
Weight	728 lbs	772 lbs

SPECIFICATIONS

Type	Floor
Flavors	2 Flavors & 1 Twist
Cooling	ISI-303SNA/P : Air Cooled ISI-303SNW/P : Water Cooled
Electrical	208~230V/60Hz/3Ph
Hopper Capacity	18.9 qt (4.7 gallon) x 2
Cylinder Capacity	3.6 qt (0.9 gallon) x 2
Power Consumption	8.1 HP (6,050 W)
Max. Production	150 lbs/h
Consecutive Dispensing	50~90 cups / 3.5 oz
Compressor - Cylinder	2.0 HP x 2 (R404A)
Compressor - Hopper	0.35 HP x 1 (R134A)

AUTOMATIC & SELF SERVICE MACHINES: ISI-271THSN/SHSN

Single Flavor



ISI-271THS

ISI-271SHS

- (a) Water supply for easy cleaning
- (b) Dispensing button
- (c) Cup or Cone detecting sensor
- (d) Cup or Cone rack

* Front panel design subject to change without notice



**HEAT TREATMENT
(PASTEURIZATION)**



AGITATOR



VARIOUS FUNCTIONS
Defrost / Regeneration / Boiling

How to Enjoy:



1
Place a cup
or cone



2
Press button



3
Take ice cream
and enjoy

ISI-271THSN EXTERIOR

DIMENSIONS	MACHINE	SHIPPING
Width	15 "	19 "
Depth	33 "	36 "
Height	39 "	45 "
Weight	313 lbs	369 lbs

ISI-271SHSN EXTERIOR

DIMENSIONS	MACHINE	SHIPPING
Width	15 "	19 "
Depth	33 "	36 "
Height	57 "	64 "
Weight	362 lbs	406 lbs

SPECIFICATIONS

Type	ISI-271THSN : Countertop ISI-271SHSN : Floor
Flavors	Single Flavor
Cooling	Air Cooled
Electrical	208~230V/60Hz/1Ph
Hopper Capacity	13.0 qt (3.3 gallon)
Cylinder Capacity	2.9 qt (0.7 gallon)
Power Consumption	2.95 HP (2,200 W)
Max. Production	46.3 lbs/h
Consecutive Dispensing	8~10 cups / 3.5 oz
Compressor - Cylinder	1.5 HP x 1 (R404A)

FROZEN YOGURT & SOFT SERVE ICE CREAM MACHINES

Heat Treatment



ISI-161TH / TI

Flavors	Single Flavor
Cooling	Air Cooled
Mix Hopper Capacity	3.2 qt (0.8 gallon)
Cylinder Capacity	1.7 qt (0.4 gallon)
Power Consumption	1.88 HP (1,400 W)
Dasher Motor	0.47 HP (0.35 KW)
Maximum Production	26.5 lbs/h
First Dispensing Time	6~9 min
Consecutive Dispensing	5 cups (3.5 oz)
Compressor - Cylinder	0.85 HP x 1 (R404A)
Compressor - Mix Hopper	None
Electrical	115V / 60Hz / 1Ph

ISI-163TT



Flavors	2 Flavors & 1 Twist
Cooling	Air Cooled
Mix Hopper Capacity	5.8 qt (1.5 gallon) x 2
Cylinder Capacity	1.7 qt (0.4 gallon) x 2
Power Consumption	3.62 HP (2,700 W)
Dasher Motor	0.47 HP (0.35 KW)
Maximum Production	52.9 lbs/h
First Dispensing Time	6~8 min
Consecutive Dispensing	7~10 cups (3.5oz)
Compressor - Cylinder	0.85 HP x 2 (R404A)
Compressor - Mix Hopper	0.35 HP x 1 (R134A)
Electrical	208~230V / 60Hz / 1Ph



ISI-300TA

Flavors	Single Flavor
Cooling	Air Cooled
Mix Hopper Capacity	18.5 qt (4.6 gallon)
Cylinder Capacity	3.4 qt (0.8 gallon)
Power Consumption	2.68 HP (2,000 W)
Dasher Motor	1.0 HP (0.75 KW)
Maximum Production	66.1 lbs/h
First Dispensing Time	8~10 min
Consecutive Dispensing	20~24 cups (3.5oz)
Compressor - Cylinder	1.77 HP x 1 (R404A)
Compressor - Mix Hopper	None
Electrical	208~230V / 60Hz / 1Ph



ISI-163ST

Flavors	2 Flavors & 1 Twist
Cooling	Air Cooled
Mix Hopper Capacity	5.8 qt (1.5 gallon) x 2
Cylinder Capacity	1.7 qt (0.4 gallon) x 2
Power Consumption	3.62 HP (2,700 W)
Dasher Motor	0.47 HP (0.35 KW)
Maximum Production	52.9 lbs/h
First Dispensing Time	6~8 min
Consecutive Dispensing	7~10 cups (3.5oz)
Compressor - Cylinder	0.85 HP x 2 (R404A)
Compressor - Mix Hopper	0.35 HP x 1 (R134A)
Electrical	208~230V / 60Hz / 1Ph



ISI-203SN / *P

Flavors	2 Flavors & 1 Twist
Cooling	Air Cooled
Mix Hopper Capacity	10.6 qt (2.6 gallon) x 2
Cylinder Capacity	2.9 qt (0.7 gallon) x 2
Power Consumption	6.03 HP (4,500 W)
Dasher Motor	1.0 HP (0.75 KW) x 2
Maximum Production	92.6 lbs/h
First Dispensing Time	7~11 min
Consecutive Dispensing	16~40 cups (3.5oz)
Compressor - Cylinder	1.3 HP x 2 (R404A)
Compressor - Mix Hopper	0.35 HP x 1 (R134A)
Electrical	208~230V / 60Hz / 3Ph



ISI-303SNA / *P

Flavors	2 Flavors & 1 Twist
Cooling	Air Cooled
Mix Hopper Capacity	18.9 qt (4.7 gallon) x 2
Cylinder Capacity	3.6 qt (0.9 gallon) x 2
Power Consumption	8.1 HP (6,050 W)
Dasher Motor	1.0 HP (0.75 KW) x 2
Maximum Production	149.9 lbs/h
First Dispensing Time	8~10 min
Consecutive Dispensing	50~90 cups (3.5oz)
Compressor - Cylinder	2.0 HP x 2 (R404A)
Compressor - Mix Hopper	0.35 HP x 1 (R134A)
Electrical	208~230V / 60Hz / 3Ph

Self serve
Heat Treatment



ISI-271THS / SHS

Flavors	Single Flavor
Cooling	Air Cooled
Mix Hopper Capacity	13.0 qt (3.3 gallon)
Cylinder Capacity	2.9 qt (0.7 gallon)
Power Consumption	2.95 HP (2,200 W)
Dasher Motor	1.0 HP (0.75 KW)
Maximum Production	46.3 lbs/h
First Dispensing Time	7~11 min
Consecutive Dispensing	8~10 cups (3.5oz)
Compressor - Cylinder	1.5 HP x 1 (R404A)
Compressor - Mix Hopper	None
Electrical	208~230V / 60Hz / 1Ph



ISI-303SNW / *P

Flavors	2 Flavors & 1 Twist
Cooling	Water Cooled
Mix Hopper Capacity	18.9 qt (4.7 gallon) x 2
Cylinder Capacity	3.6 qt (0.9 gallon) x 2
Power Consumption	8.1 HP (6,050 W)
Dasher Motor	1.0 HP (0.75 KW) x 2
Maximum Production	149.9 lbs/h
First Dispensing Time	8~10 min
Consecutive Dispensing	50~90 cups (3.5oz)
Compressor - Cylinder	2.0 HP x 2 (R404A)
Compressor - Mix Hopper	0.35 HP x 1 (R134A)
Electrical	208~230V / 60Hz / 3Ph



ICETROAMERICA.COM

A BRAND THAT STANDS FOR QUALITY AND VALUE

The ICETRO team is committed to providing high-performance frozen food equipment products not only to satisfy our customers' need but add value to the equipment investment.

ICETRO America strives to build long-lasting high-quality products that deliver the best value in creating COOL HAPPINESS to our valuable customers.

We aim to continue as the leading provider of high-quality frozen food equipment through continuous improvements in SIMPLICITY of design, product RELIABILITY & LONGEVITY, and superior PERFORMANCE.



SIMPLICITY



RELIABILITY



LONGEVITY



PERFORMANCE



Revised Jan/2021



1565 West Broadway, Anaheim, CA 92802

Tel: (714) 215 - 4864

Website: www.icetroamerica.com

E-mail: icetro@icetroamerica.com

Distributed by :

